

top
agrar

Kurative und Protektive Leistung wichtiger Fungizide

Mittel	Menge l bzw. g/ha	Cercospora	Mehltau	Septoria tritici	Braunrost	Gelbrost	DTR	M. nivale	Fusarium	€/ha ¹⁾
Mittel vorzugsweise für Behandlungen von BBCH 29 bis EC 31										
Orius/Helocur 250 EW	0,75		●	●	● ● ● ●	● ● ● ●				9
Pronto Plus	0,75		● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●				19
Vegas Plus + Talius	0,48 + 0,15		● ● ● ● ● ●	● ● ● ●	●	●				
Vegas Plus	0,8		● ● ● ● ● ●	● ● ● ●	●	●				27
Pronto Plus + Talius	0,6 + 0,25		● ● ● ● ● ●	● ● ● ●	● ● ●	● ● ● ●				
Mittel vorzugsweise für Behandlungen in BBCH 31/32										
Zeus + Orius	0,5 + 0,75		● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ● ●	● ● ●	●		15
Prothioconazol + Folpan 500 SC	150 + 1,5	● ● ●	● ● ●	● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ●		
Verben	0,8	● ● ●	● ● ● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ●		36
Pronto Plus + Folpan 500 SC	1,0 + 1,5		● ● ● ● ● ●	● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ●	●		41
Unix + Pecari 300 EC	0,5 + 0,5	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ●	● ●		46
Xenial	1,25	● ●	● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ●	● ● ● ● ● ●	● ● ● ●			
Balaya + Orius	1,0 + 0,5	● ●	● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ●			50
Input Tripel	1,0	● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ●	● ●		49
Balaya	1,25	● ● ●	● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ●			57
Balaya + Vegas Plus	1,0 + 0,8	● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ●			72
Mittel vorzugsweise für Behandlungen von BBCH 33 bis EC 51										
Prothio. + Tebuconazol	150 + 187,5	●	● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ●	●		
Zeus + Prothioconazol	0,75 + 125	●	● ● ●	● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ●	●		
Amistar Gold	1,0		● ● ●	● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	●		34
Ascra Xpro	1,0	● ● ●	● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ●		51
Revytrex	1,25		● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ●	●		54
Questar + Aptrell	1,5 + 1,0		● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ●	● ● ● ● ● ●		
Pioli + Soratel	1,5 + 0,75	● ● ●	● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ●	● ●		61
Univoq	2,0	● ● ●	● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ●		74
Univoq + Regoral	1,5 + 0,3	● ●	● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ●		
Revytrex + Comet	1,5 + 0,5	● ●	● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ●	●		76
Ascra Xpro	1,5	● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●		76
Questar + Balaya	1,5 + 0,75	●	● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ●	● ● ● ● ● ●		
Mittel vorzugsweise für Behandlungen ab Ährenschieben										
Prothioconazol + Orius	150 + 0,75		● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ●	● ●	● ● ● ● ●	
Magnello	1,0		● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ●	● ● ● ● ●	37
Prothioconazol + Soleil	125 + 1,0		● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ●	● ● ● ● ● ● ●	
Prothio. + Caramba	150 + 0,75		● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ●	● ● ● ● ● ● ●	
Prothio. + Pronto Plus	150 + 1,0		● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ●	● ● ● ● ● ● ●	
Ascra Xpro + Soleil	0,8 + 1,0		● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ●	66
Wirkungsdauer ²⁾ kurativ und protektiv in Tagen				7–2 4–28	8–2 6–36	10–3 5–34	3–1 4–28	vorbeu- gend		
● Wirkungsergänzung von 750 g/ha Folpet; 1) Quelle: myagrar, Stand: 11.2024; 2) bzw. ● Fungizide Potenz gegen Cercospora, Mehltau und Fusarium										
top agrar; Quelle: LWK Nordrhein-Westfalen										